

RAMPEX PRO

Combines the shock-absorbing properties
of rubber bumpers with the long lifetime
of steel bumpers

mydocking

OUTSTANDING COMPONENTS

The RAMPEX-PRO drive-up bumper convinces with high-quality materials

- S700MC steel instead of simple construction steel
- yield strength is 3 times higher
- special advantages in terms of elasticity

Styrene-butadiene rubber instead of simple rubber compound

- application range -40 degrees to +70 degrees C
- good ozone resistance
- good mechanical properties
- good UV resistance
- conforms with REACH Directive
- no recycled material



Unique construction between the steel plates

- straight slats in centre area
- bi-convex slats in top and bottom areas

Its special components and outstanding characteristics make **RAMPEX-PRO** the optimal choice for loading ramps with high loading frequencies.



Design follows function

- no moving parts
- patented slat design
- optimal load deflection
- long lifetime
- Made in Germany



IMPRESSIVE ATTRIBUTES

Ratings

Building protection	★★★★★
Durability	★★★★★
Spring deflection	★★★★★
Lifecycle Cost	★★★★★
Visibility	★★★★☆

Total Score:

24

The **RAMPEX-PRO** is as soft as a rubber bumper and as robust as a steel bumper at the very same time. The equipment of the year for your loading area.



RAMPE
JETZT PRO

mydocking

docking Solution und Service GmbH
Springrad 4
30419 Hannover

Phone: +49 (0)511 76 36 79-0
Fax: +49 (0)511 76 36 79-90
E-mail: info@mydocking.com
Internet: www.mydocking.com